

ROE DEER

STOVE OVEN BBQ FIRE PLACE











We set out to provide a complete experience with customer needs in mind. Since our establishment, we have designed the highest quality service by our engineers to meet customer needs. Roe Deer collection from the highest quality casting, we test it and work for customer satisfaction. Therefore, our products are covered by a 5/10 years warranty. The right to change and update the products in this catalog belongs to Roe Deer. It is forbidden to use the information and images contained in the catalog. Please visit www.roe-deer.co.uk for up-to-date information and communication.

© Copyright 2023 Roe Deer Collection



ROE DEER

STOVE OVEN BBQ FIRE PLACE

Our Perspective

We aim to fill homes with the maximum of comfort while capturing the true art and meaning of a Roe Deer collection in any living space.

We design our products to create homes with the maximum of comfort and modern design while capturing the true art and meaning of a Roe Deer Collection Intent on providing with a dynamic collection of designer.

Roe Deer collection has strategically gathered not only award winning Garden & Balcony designs, but also home design that have been manufactured with high quality materials and the best labour that is built to last in any living space.



Content

NORTHSTAR

OXFORD S	07
OXFORD L	09
OXFORD SP	11
OXFORD LP	13
LUTON	17
OXFORD LM	19
ARSENAL S	21
ARSENAL L	23

MOONLIGHT

HEREFORD	27
ELY	29
WAKEFIELD	31
STIRLING	33
EDINBURG	35

SUNSHINE

STAMFORD	39
STAMFORD DRW	41
ARUNDEL	43
SALFORD	45
SEVENOAKS	47
PRESTON	49
LEEDS	51
NEW YORK	55
NEW YORK DOUBLE	57
NEW YORK VISION	59
BLACKPOOL	61
BLACKPOOL DOUBLE	63
BLACKPOOL VISION	65
YORK	67
YORK DOUBLE	69
RIPON	71
ACCESSORIES	73
GREENWICH	75
STROUD	77
WINDSOR	79
BAKEWELL	81
WOODBRIDGE	83

NORTH SIAR

The NorthStar collection is inspired by quality and your warm home with its unique texture and eye-catching design.

Your homes have also been created wonders by engineers to create modern designs and take you on unique journeys.

This collection, which is a unique design product of quality and your choice, has received many design awards by collecting many acclaim.



















OXFORD S A000057

This is a highly efficient clean burning convection fireplace that brings elegance and comfort to any home. The hot air-wash system gives fascinating flame patterns and crystal clear glass, and its convection casing reduces the required clearance from combustibles to 200mm each side.









KEY FACTS

MATERIAL	100% Pure cast iron, 8-12mm thickness
KW OUTPUT	12-14 kW
HEATING CAPACITY	Up to 150-250m2*
FACADE	Clean frame-less design (trim options available)
GLASS DOOR	Pull it to yourself by turning it into a safe holding place
MINIMUM FLUE HEIGHT	1.5m
FLUE SIZES	200mm
INCLUDES HOT AIR KIT	A duct and a register
OUTSIDE AIR KIT	Recommended for well insulated homes
WARRANTY	10 year firebox warranty**
WEIGHT	110kg
HEARTH DIMENSIONS	Min 500mm in front of any part of fireplace,
	250mm on either side & 75mm thick***



roe-deer.co.uk













OXFORD L A000057B

The Oxford-L incorporates all of the wonderful Collection benefits found in our free-standing the Oxford-L can be installed in a fireplace opening where the hearth depth is limited and the least structural disruption is required.









KEY FACTS

MATERIAL	100% Pure cast iron, 8-12mm thickness
KW OUTPUT	14-16 kW
HEATING CAPACITY	Up to 150-250m2*
FACADE	Clean frame-less design (trim options available)
GLASS DOOR	Pull it to yourself by turning it into a safe holding place
MINIMUM FLUE HEIGHT	1.5m
FLUE SIZES	200mm
INCLUDES HOT AIR KIT	A duct and a register
OUTSIDE AIR KIT	Recommended for well insulated homes
WARRANTY	10 year firebox warranty**
WEIGHT	116kg
HEARTH DIMENSIONS	Min 500mm in front of any part of fireplace,
	250mm on either side & 75mm thick***



roe-deer.co.uk













OXFORD SP A000057E

Its unmistakable classic Oxford-SP design makes it suitable for almost every situation. It has a large single door that provides an uninterrupted view of the fire, a deep firebox taking 20-inch logs and an integral multi-fuel grate.











MATERIAL	100% Pure cast iron, 8-12mm thickness
KW OUTPUT	12-14kW
HEATING CAPACITY	Up to 150-250m2*
FACADE	Clean frame-less design (trim options available)
GLASS DOOR	Pull it to yourself by turning it into a safe holding place
MINIMUM FLUE HEIGHT	1.5m
FLUE SIZES	200mm
INCLUDES HOT AIR KIT	A duct and a register
OUTSIDE AIR KIT	Recommended for well insulated homes
WARRANTY	10 year firebox warranty**
WEIGHT	110kg
HEARTH DIMENSIONS	Min 500mm in front of any part of fireplace,
	250mm on either side & 75mm thick***













A000057D

This is also most beatiful fireplace and the second largest stove in our range. It has exactly the same classic proportions and all of the features of the Oxford-LM but is slightly smaller and has a lower heat output.







KEY FACTS

roe-deer.co.uk

MATERIAL	100% Pure cast iron, 8-12mm thickness
KW OUTPUT	14-16 kW
HEATING CAPACITY	Up to 150-250m2*
FACADE	Clean frame-less design (trim options available)
GLASS DOOR	Pull it to yourself by turning it into a safe holding place
MINIMUM FLUE HEIGHT	1.5m
FLUE SIZES	200mm
INCLUDES HOT AIR KIT	A duct and a register
OUTSIDE AIR KIT	Recommended for well insulated homes
WARRANTY	10 year firebox warranty**
WEIGHT	116kg
HEARTH DIMENSIONS	Min 500mm in front of any part of fireplace,
	250mm on either side & 75mm thick***





For nearly 25 years, Roe Deer has been bringing joy and warmth to people's feet. We're proud to have been a part of happy customer memories and modern design architecture along the way. Let's explore some of the critical milestones in our history.

Roe Deer was founded in 2004, where we are still based today. The company is named after the surnames of the founders; Roe Deer founders started as a small business by working in the casting business. As more and more families took to the road to explore the world.

We want you to use our pieces for years, even decades. That's why we source the finest materials and factories for our timeless products— like our Grade-A cast iron stoves, modern barbeques, and fireplaces.

25 years after our founding, Roe Deer remains a proudly independent, fourth-generation family-run business. On any given day, you can still find three generations of the Roe Deer family working hard — including the Roe Deer founders still actively involved! We continue to be grateful for and humbled by the loyalty of our customers, old and new. Looking ahead, we are committed to preserving our products' high standards and hand craftsmanship. Our overarching goal today is to keep the goodness going, so we can create more joy for generations to come.



















LUTON

A000058

This is also the largest fireplace in our range. Air tight and well constructed from the finest materials. There are many thousands of Roe Deer stoves in use so you can buy confident of quality, performance and support.









KEY FACTS

MATERIAL	100% Pure cast iron, 8-12mm thickness
KW OUTPUT	18-20kW
HEATING CAPACITY	Up to 180-270m2*
FACADE	Clean frame-less design (trim options available)
GLASS DOOR	Pull it to yourself by turning it into a safe holding place
MINIMUM FLUE HEIGHT	4.5m
FLUE SIZES	200mm
INCLUDES HOT AIR KIT	A duct and a register
OUTSIDE AIR KIT	Recommended for well insulated homes
WARRANTY	10 year firebox warranty**
WEIGHT	135kg
HEARTH DIMENSIONS	Min 500mm in front of any part of fireplace,
	250mm on either side & 75mm thick***



roe-deer.co.uk













OXFORD LM A000057F

This is the largest fireplace in our range. Its classic proportions and high heat output make it the ideal fireplace for larger rooms, halls and open plan areas. The illustration shows a Oxford-LM in our original show rooms where it was effortlessly.









KEY FACTS

MATERIAL	100% Pure cast iron, 8-12mm thickness
KW OUTPUT	18-20kW
HEATING CAPACITY	Up to 180-270m2*
FACADE	Clean frame-less design (trim options available)
GLASS DOOR	Pull it to yourself by turning it into a safe holding place
MINIMUM FLUE HEIGHT	1.5m
FLUE SIZES	200mm
INCLUDES HOT AIR KIT	A duct and a register
OUTSIDE AIR KIT	Recommended for well insulated homes
WARRANTY	10 year firebox warranty**
WEIGHT	135kg
HEARTH DIMENSIONS	Min 500mm in front of any part of fireplace,
	250mm on either side & 75mm thick***



roe-deer.co.uk













ARSENALS A000057A

The Arsenal-S is a smaller version of the Collection. It is a highly efficient clean burning convection stove that brings elegance and comfort to any home. The hot air-wash system gives fascinating flame patterns and crystal clear glass, and its convection casing allows installation into spaces not suitable for all fireplace.









KEY FACTS

MATERIAL	100% Pure cast iron, 8-12mm thickness
KW OUTPUT	12-14kW
HEATING CAPACITY	Up to 150-250m2*
FACADE	Clean frame-less design (trim options available)
GLASS DOOR	Pull it to yourself by turning it into a safe holding place
MINIMUM FLUE HEIGHT	1.5m
FLUE SIZES	200mm
INCLUDES HOT AIR KIT	A duct and a register
OUTSIDE AIR KIT	Recommended for well insulated homes
WARRANTY	5 year firebox warranty**
WEIGHT	109kg
HEARTH DIMENSIONS	Min 500mm in front of any part of fireplace,
	250mm on either side & 75mm thick***



roe-deer.co.uk













ARSENAL L A000057C

The Arsenal-L the highest specification fireplace ever built. It's so fuel-efficient it will burn only one kilo of wood an hour, stay in over-night, boil a kettle and even heat your water, this rugged and stylish stove is equally at home in a country cottage, modern apartment and even a mobile home or a boat.









KEY FACTS

MATERIAL	100% Pure cast iron, 8-12mm thickness
KW OUTPUT	14-16kW
HEATING CAPACITY	Up to 150-250m2*
FACADE	Clean frame-less design (trim options available)
GLASS DOOR	Pull it to yourself by turning it into a safe holding place
MINIMUM FLUE HEIGHT	1.5m
FLUE SIZES	200mm
INCLUDES HOT AIR KIT	A duct and a register
OUTSIDE AIR KIT	Recommended for well insulated homes
WARRANTY	5 year firebox warranty**
WEIGHT	115kg
HEARTH DIMENSIONS	Min 500mm in front of any part of fireplace,
	250mm on either side & 75mm thick***



roe-deer.co.uk

MOT LIGHT

COLLECTION 2023

The MoonLight collection was created as a completely design marvel, very different from the fireplace culture.

The fact that it can be seen from different angles and reach more space gives your home completely different dimensions.

This collection, which will change your perspective on fireplaces, was designed based on your demands. You will like this collection very much, which is your demands.







FLAT LIFT DOOR FIREPLACES

We brought design together with the modern inspirations of the classical period. Features beautiful hand crafted corbels and shells.











HEREFORD AB000061A

HEREFORD AB000061B

Hereford - Flat	MODEL	Hereford - Flat
AB000061A	PRODUCT CODE	AB000061B
17	POWER (kW)	17
84	HEATING EFFICIENCY %	84
240	WEIGHT (KG)	270
Steel	MATERIAL	Steel
200	CHIMNEY DIAMETER	200
Ceramic Glass	GLASS	Ceramic Glass
Fire Brick	COMBUSTION CHAMBER	Casting
5	WARRANTY (YEAR)	5









L SHAPE FIREPLACES

We come with a modern architecture that will create wonders in your homes in this series, where we are completely out of the classical models. Now it's time to enjoy the fireplace from two different angles.












ELY AB000062A

ELY AB000062B

ELY - L Shape	MODEL	ELY - L Shape
AB000062A	PRODUCT CODE	AB000062B
17	POWER (kW)	17
85	HEATING EFFICIENCY %	85
270	WEIGHT (KG)	295
Steel	MATERIAL	Steel
200	CHIMNEY DIAMETER	200
Ceramic Glass	GLASS	Ceramic Glass
Fire Brick	COMBUSTION CHAMBER	Casting
5	WARRANTY (YEAR)	5











DOUBLE SIDED FIREPLACES

In this model, which is open from the back and front, we make your house more warm and visible from different angles with different ways of use.












WAKEFIELD AB000063A


WAKEFIELD AB000063B

Wakefield - Double Sided	MODEL	Wakefield - Double Sided
AB000063A	PRODUCT CODE	AB000063B
19	POWER (kW)	19
89	HEATING EFFICIENCY %	89
310	WEIGHT (KG)	340
Steel	MATERIAL	Steel
250	CHIMNEY DIAMETER	250
Ceramic Glass	GLASS	Ceramic Glass
Fire Brick	COMBUSTION CHAMBER	Casting
5	WARRANTY (YEAR)	5













EPI SHAPE FIREPLACES

We have come up with a great idea for the middle partitions of your home. We offer you a completely different design in this model, which is completely our own design. Your homes are now more modern.











STIRLING AB000064A

STIRLING AB000064B

AB000064A 16	PRODUCT CODE POWER (kW)	AB000064B
36	HEATING EFFICIENCY %	86
280	WEIGHT (KG)	300
Steel	MATERIAL	Steel
200	CHIMNEY DIAMETER	200
Cerantic Class	GLASS	Ceramic Glass
Fire Brick	COMBUSTION CHAMBER	Casting
5	WARRANTY (YEAR)	5







33





U SHAPE FIREPLACE

cast iron stove, ovens, BBQ types & freplace

We are here to illuminate, heat and create a modern look with our magnificent design, which can be viewed from 3 different angles with its unusual design.







1100,00

352,0

630,00

400,00

SUI SHINE

The **SunShine** collection, which is the products of traditional culture, has met with modern engineering.

We offer many alternatives besides heating your home. The products carefully designed by our architects were created to meet your needs.

The products in this collection will create a warm nest in the most beautiful corner of the house and areas where we will take beautiful photograph.

The starting point of this collection; more than a stove...

COLLECTION 2023









STAMFORD

PRODUCT CODE A000029A





Specifically designed to face the rigor of winter, the Stamford is an essential for any spacious home, especially if you live in a region with harsh weather conditions.



 ϵ



Raw material: 100% gray cast iron.

- Ability to cook/heat food with its large cooker section.
- Portable ash pan.
- Drawer and cooker parts are made of thick sheet metal.
- Thermometer in the oven part.
- Protection of the glass from impacts thanks to the flame arrester.
- Removable cast iron legs.
- Adjusting the burning speed with the air adjustment levers in the front.
- Easy on-off with clip-on covers.
- High sealing with wicks placed at the connection points of the covers and glasses.

Weight	170 kg
Height	75 cm
Depth	89 cm
Width	52 cm
DIM Weight (kg)	70
Chimney (Ø)	15 cm





STAMFORD DRW

PRODUCT CODE A000029B





This more contemporary look offers a minimalist image for those who prefer to place the unit directly on a non-flammable surface.



 ϵ



Raw material: 100% gray cast iron.

- Ability to cook/heat food with its large cooker section.
- Portable ash pan.
- Drawer and cooker parts are made of thick sheet metal.
- Thermometer in the oven part.
- Protection of the glass from impacts thanks to the flame arrester.
- Wood or accessory storage with wide drawer.
- Adjusting the burning speed with the air adjustment levers in the front.
- Easy on-off with clip-on covers.
- High sealing with wicks placed at the connection points of the covers and glasses.

Veight	170 kg
Height	75 cm
Depth	89 cm
Vidth	52 cm
DIM Weight (kg)	70

Chimney can be 12-13 for your request

Chimney (Ø)





ARUNDEL

PRODUCT CODE A000023B





This firebox combines robustness and elegance to allow you to enjoy your heating experience with confidence.



 ϵ



Raw material: 100% Cast Iron, Casting thickness 1.3 cm.

- Bearing on-off lever.
- Shaking ash.
- Adjustment levers that adjust the burning speed.
- Optimum smoke evacuation with flame breaker.
- Glass protection with flame arrester.
- 850 C heat resistant thermo-shock ceramic glasses.
- Portable ashtray that is not affected by impact and heat.
- Sealing seals and gaskets fixed to glass, cover and junction points.
- Heat and moisture resistant paint.
- Hand-held glass flaps.
- Depending on the installation, 2 different flue outlets can be preferred: from the top or from the back.

Weight	115 kg
Height	70 cm
Depth	70 cm
Width	42 cm
DIM Weight (kg)	70
Heating Area	50-150 m ²

13 kW

15 cm

Chimney can be 12-13 for your request

Rated Power

Chimney (Ø)





SALFORD

PRODUCT CODE A000025B





One of the most versatile stoves in the Sunshine range. Its simple clean lines allow it to sit comfortably in a wide range of room styles and make it the ideal interior for a fire surround of contemporary architectural style. It is also available with an integral log store.





Raw material: 100% Cast Iron, Casting thickness 1.3 cm.

- Bearing on-off lever.
- Shaking ash.
- Adjustment levers that adjust the burning speed.
- Optimum smoke evacuation with flame breaker.
- Glass protection with flame arrester.
- 850 C heat resistant thermo-shock ceramic glasses.
- Portable ashtray that is not affected by impact and heat.
- Sealing seals and gaskets fixed to glass, cover and junction points.
- Heat and moisture resistant paint.
- Hand-held glass flaps.
- Depending on the installation, 2 different flue outlets can be preferred: from the top or from the back.

store.	
	C€

Weight	150 kg
Height	105 cm
Depth	72 cm
Width	42 cm
DIM Weight (kg)	64
Heating Area	50-175 m ²
Rated Power	15 kW
Chimney (Ø)	15 cm





SEVENOAKS

PRODUCT CODE A000024A





The Sevenoaks is a stove designed for intensive use and whose combustion chamber helps maintain uniform heat over a long period of time.



 ϵ



Raw material: 100% Cast Iron, Casting thickness 1.3 cm.

- Bearing on-off lever.
- Shaking ash.
- Adjustment levers that adjust the burning speed.
- Optimum smoke evacuation with flame breaker.
- Glass protection with flame arrester.
- 850 C heat resistant thermo-shock ceramic glasses.
- Portable ashtray that is not affected by impact and heat.
- Sealing wicks and gaskets fixed on connection and junction points.
- Heat and moisture resistant paint.
- Hand-held glass flaps.
- Depending on the installation, 2 different flue outlets can be preferred: from the top or from the back.

Weight	115 kg
Height	70 cm
Depth	70 cm
Width	42 cm
DIM Weight (kg)	42
Chimney Diameter	13 cm
Heating Area	50-150 m ²

13 kW

15 cm

Chimney can be 12-13 for your request

Rated Power

Chimney (Ø)





PRESTON

PRODUCT CODE A000026B





Displays the attention to detail that characterises the design of every Preston. The corniced top section and robust plinth sit in perfect proportion with the main body of the stove, which features Preston trademark large viewing window.





Raw material: 100% Cast Iron, Casting thickness 1.3 cm.

- Bearing on-off lever.
- Shaking ash.
- Adjustment levers that adjust the burning speed.
- Optimum smoke evacuation with flame breaker.
- Glass protection with flame arrester.
- 850 C heat resistant thermo-shock ceramic glasses.
- Portable ashtray that is not affected by impact and heat.
- Sealing seals and gaskets fixed to glass, cover and junction points.
- Heat and moisture resistant paint.
- Hand-held glass flaps.
- Depending on the installation, 2 different flue outlets can be preferred: from the top or from the back.

C€	
----	--

Weight	150 kg
Height	105 cm
Depth	72 cm
Width	42 cm
DIM Weight (kg)	64
Heating Area	50-175 m ²
Rated Power	15 kW
Chimney (Ø)	15 cm





LEEDS

PRODUCT CODE A000020B





With its elegant and refined appearance, the Leeds is a stove that will look at home in the most sophisticated of interiors. Its design includes swept cabriole legs and a corniced top section, uniquely classical features that are not to be found in other stoves.





KEY FACTS

 ϵ

Raw material: 100% Cast Iron, Casting thickness 1.3 cm.

- Bearing on-off lever.
- Shaking ash.
- Adjustment levers that adjust the burning speed.
- Optimum smoke evacuation with flame breaker.
- Glass protection with flame arrester.
- 850 C heat resistant thermo-shock ceramic glasses.
- Portable ashtray that is not affected by impact and heat.
- Sealing seals and gaskets fixed to glass, cover and junction points.
- Heat and moisture resistant paint.
- Hand-held glass flaps.
- Depending on the installation, 2 different flue outlets can be preferred: from the top or from the back.

Weight	170 kg
Height	85 cm
Depth	52 cm
Width	59 cm
DIM Weight (kg)	53
Heating Area	50-175 m ²
Rated Power	13 kW
Chimney (Ø)	15 cm

Why choose Roe DeeR

Our customers choose us because we provide leading technology, deliver unmatched services, quality, and offer best value in the industry. Over the last decade, our modern approach to business has caused transform us from a small engineering upstart to a leading global provider of Fireplace & Stove.

Roe Deer products color your living spaces and it warms. All you have to do is live in the moment.

Invest

We are constantly investing to improve our business and offer better

Quality

we prioritize quality with our tested approved products and promise more

Communicate

The reason why we provide good customer satisfaction is that we constantly listen to our customers and evaluate their feedback

Adapt

We are constantly making improvements to keep up with changing trends

Lead We kn

We know that we are leading the world in the casting sector and we contribute to technology

Select

We do not compromise on quality and customer satisfaction while growing our business

Work

We carry out planned works in our growing dynamic team for customer needs and expectations

Happy Customer More than 120.000 happy customer all over the world

We set out to provide a complete experience with customer needs in mind. Since our establishment, we have designed the highest quality service by our engineers to meet customer needs. Roe deer collection from the highest quality casting, We test it and work for customer satisfaction. Therefore, our products are covered by a 10-year warranty.







NEW YORK

PRODUCT CODE A000060





The ideal choice of stove for a contemporary setting. Its sleek cylindrical lines allow it to stand within a room and provide an attractive and highly effective source of heat. Available as a 4 series wood burning stove.



 ϵ



- Raw material: 100% gray cast iron
- Portable ash pan
- Vacuum closing door
- Controllable Air Vents (front back)
- Optimum smoke evacuation with flame breaker
- Glass protection with flame arrester
- 850 C heat resistant thermo-shock ceramic glasses
- Portable inner ash pan
- Sealing wicks and gaskets fixed on connection and junction points
- Heat and moisture resistant paint
- Hand-held glass flaps
- Height adjustable cast iron legs.

Weight	80 kg
Height	67 cm
Depth	43 cm

Width	52 cm
Heating	12 kW
DIM Weight (kg)	30
Heating Efficiency	%75
CO Emission	%012 - %0 20

Chimney (Ø)	15 cm





NEW YORK DOUBLE

PRODUCT CODE A000060B





This product is the same as the New York model and has side windows. It also offers you to watch the unique wood flame while warming the room better.





- Raw material: 100% gray cast iron
- Portable ash pan
- Vacuum closing door
- Controllable Air Vents (front back)
- Optimum smoke evacuation with flame breaker
- Glass protection with flame arrester
- 850 C heat resistant thermo-shock ceramic glasses
- Portable inner ash pan
- Sealing wicks and gaskets fixed on connection and junction points
- Heat and moisture resistant paint
- Hand-held glass flaps
- Height adjustable cast iron legs.

C€	
----	--

Weight	76 kg
Height	67 cm
Depth	43 cm
Width	52 cm
Heating	12 kW
DIM Weight (kg)	30
Heating Efficiency	%75
CO Emission	%0.12 - %0.20
Chimney (Ø)	15 cm





NEW YORK VISION

PRODUCT CODE A000060C





This product is the same as the New York model and has side windows. It also offers you to watch the unique wood flame while warming the room better. It provides more comfortable use with its side opening feature.



 ϵ



• Raw material: 100% gray cast iron

- Portable ash pan
- Vacuum closing door
- Controllable Air Vents (front back)
- Optimum smoke evacuation with flame breaker
- Glass protection with flame arrester
- 850 C heat resistant thermo-shock ceramic glasses
- Portable inner ash pan
- Sealing wicks and gaskets fixed on connection and junction points
- Heat and moisture resistant paint
- Hand-held glass flaps
- Height adjustable cast iron legs.

Weight	78 kg
Height	67 cm
Depth	43 cm
Width	52 cm
Heating	12 kW
DIM Weight (kg)	30
Heating Efficiency	%75
CO Emission	%0.12 - %0.20

15 cm

Chimney can be 12-13 for your request

Chimney (Ø)





BLACKPOOL

PRODUCT CODE A000061





The Blackpool model promises you to cook and make amazing pizzas. With its magnificent appearance and casting quality, we not only heat your home, but also ensure that you get unique tastes.



 ϵ



- Portable ash pan
- Vacuum closing door
- Controllable Air Vents (front back)

• Raw material: 100% gray cast iron

- Optimum smoke evacuation with flame breaker
- Glass protection with flame arrester
- 850 C heat resistant thermo-shock ceramic glasses
- Portable inner ash pan
- Sealing wicks and gaskets fixed on connection and junction points
- Heat and moisture resistant paint
- Hand-held glass flaps
- Height adjustable cast iron legs.

Weight	112 kg
Height	110 cm
Depth	43 cm
Width	52 cm
Heating	12 kW
DIM Weight (kg)	49
Heating Efficiency	%75
CO Emission	%0.12 - %0.20
Chimney (Ø)	15 cm





BLACKPOOL DOUBLE

PRODUCT CODE A000061B





The Blackpool model promises you to cook and make amazing pizzas. With its magnificent appearance and casting quality, we not only heat your home, but also ensure that you get unique tastes.





• Raw material: 100% gray cast iron

- Portable ash pan
- Vacuum closing door
- Controllable Air Vents (front back)
- Optimum smoke evacuation with flame breaker
- Glass protection with flame arrester
- 850 C heat resistant thermo-shock ceramic glasses
- Portable inner ash pan
- Sealing wicks and gaskets fixed on connection and junction points
- Heat and moisture resistant paint
- Hand-held glass flaps
- Height adjustable cast iron legs.

	CE

Weight	108 kg
Height	110 cm
Depth	43 cm
Width	52 cm
Heating	12 kW
DIM Weight (kg)	49
Heating Efficiency	%75
CO Emission	%0.12 - %0.20
Chimney (Ø)	15 cm





BLACKPOOL VISION

PRODUCT CODE A000061C





The Blackpool model promises you to cook and make amazing pizzas. With its magnificent appearance and casting quality, we not only heat your home, but also ensure that you get unique tastes. It provides more comfortable use with its side opening feature.





 ϵ

- Raw material: 100% gray cast iron
- Portable ash pan
- Vacuum closing door
- Controllable Air Vents (front back)
- Optimum smoke evacuation with flame breaker
- Glass protection with flame arrester
- 850 C heat resistant thermo-shock ceramic glasses
- Portable inner ash pan
- Sealing wicks and gaskets fixed on connection and junction points
- Heat and moisture resistant paint
- Hand-held glass flaps
- Height adjustable cast iron legs.

Weight	110 kg
Height	110 cm
Depth	43 cm
Width	52 cm
Heating	12 kW
DIM Weight (kg)	49
Heating Efficiency	%75
CO Emission	%0.12 - %0.20
Chimney (Ø)	15 cm





YORK PRODUCT CODE A000034A





It is the ideal product for heating your smaller spaces. You can use it in the caravan, small rooms and many places.



 ϵ

KEY FACTS

- Raw material: 100% gray cast iron
- Portable ash pan
- Vacuum closing door
- Controllable Air Vents (front back)
- Optimum smoke evacuation with flame breaker
- Glass protection with flame arrester
- 850 C heat resistant thermo-shock ceramic glasses
- Portable inner ash pan
- Sealing wicks and gaskets fixed on connection and junction points
- Heat and moisture resistant paint
- Hand-held glass flaps
- Height adjustable cast iron legs.

Weight	49 kg
Height	58 cm
Depth	34 cm
Width	39 cm
Heating	4.5 kW
DIM Weight (kg)	16
Heating Efficiency	%75
CO Emission	%0.12 - %0.20

15 cm

Chimney can be 12-13 for your request

Chimney (Ø)





YORK DOUBLE

PRODUCT CODE A000034B





It is the ideal product for heating your smaller spaces. You can use it in the caravan, small rooms and many places. You can get a better view with the side glass model.





 ϵ

- Raw material: 100% gray cast iron
- Portable ash pan
- Vacuum closing door
- Controllable Air Vents (front back)
- Optimum smoke evacuation with flame breaker
- Glass protection with flame arrester
- 850 C heat resistant thermo-shock ceramic glasses
- Portable inner ash pan
- Sealing wicks and gaskets fixed on connection and junction points
- Heat and moisture resistant paint
- Hand-held glass flaps
- Height adjustable cast iron legs.

Weight	47 kg
Height	58 cm
Depth	34 cm
Width	39 cm
Heating	4.5 kW
DIM Weight (kg)	16
Heating Efficiency	%75
CO Emission	%0.12 - %0.20
Chimney (Ø)	15 cm





RIPON

PRODUCT CODE A000002B





Stamford represents the essence of eco-friendly and efficient heating. Wood stove is among the cleanest on the market and represents an environmentally friendly source of energy.





Raw material: 100% Cast Iron, Casting thickness 1.3 cm.

- Bearing on-off lever.
- Shaking ash.
- Adjustment levers that adjust the burning speed.
- Optimum smoke evacuation with flame breaker.
- Glass protection with flame arrester.
- 850 C heat resistant thermo-shock ceramic glasses.
- Portable ashtray that is not affected by impact and heat.
- Sealing seals and gaskets fixed to glass, cover and junction points.
- Heat and moisture resistant paint.
- Hand-held glass flaps.
- Depending on the installation, 2 different flue outlets can be preferred: from the top or from the back.

		CE
Weight	105 kg	
Height	75 cm	

11019110	
Height	75 cm
Depth	70 cm
Width	42 cm
DIM Weight (kg)	45
Heating Area	50-150 m ²
Rated Power	13 kW
Chimney (Ø)	15 cm

Chimney can be 12-13 for your request

cast iron stove OVENS BBQ types




ROE DEER

STOVE OVEN BBQ FIRE PLACE

UNITED KINGDOM Units 9 & 10 Honeysome Industrial Estate Honeysome Road Chatteris Cambridgeshire PE16 6TG TURKEY Hasanağa Organize Sanayi Bölgesi Hosab Sanayi Cad. No:34 Nilüfer/BURSA







STOVE TOOL

WOODSHED

A000043

LOWER TABLE A000046

Product Content:

- Wood holder.
- Ash mixer.
- Cleaning brush.
- Shovel.
- Made of 100% Cast Iron and painted with fireproof fireplace/stove paint.
- Lightweight and portable.
- With its gentle and decorative stance, it is compatible with your stove/fireplaces.

- The pier part is made of cast iron, the chamber part is made of thick sheet metal.
- Corners and balustrades made of traditional motifs.
- Large inner chamber.
- Matte colors that match your stoves and fireplaces.

- Material type: Thick sheet metal.
- Painted with heat resistant paint.
- Corners enriched with authentic motifs.
- Portable weight due to its portability.
- Matte colors that match our stoves and fireplaces.
- Different size and color options.

KEY FACTS

Weight	8 kg
Height	74 cm
Depth	14 cm
Width	14 cm
DIM Weight (kg)	3

KEY FACTS

Weight	18 kg
Height	47 cm
Depth	50 cm
Width	45 cm
DIM Weight (kg)	21

KEY FACTS

19 kg
11 cm
90 cm
60 cm
12
3 mm

Fireplace and stove accessories made of cast iron offer very practical options for using the product.





GREENWICH

PRODUCT CODE A000038



UNITED KINGDOM Units 9 & 10 Honeysome Industrial Estate Honeysome Road Chatteris Cambridgeshire PE16 6TG TURKEY Hasanağa Organize Sanayi Bölgesi Hosab Sanayi Cad. No:34 Nilüfer/BURSA



It warms every corner of your home and at the same time helps you make unique dishes. It is hidden in its pan and pot.





 ϵ

Raw material: 100% Cast iron

- Portable ash holder grill located in the combustion chamber, which offers easy cleaning
- Rich cooking options with a grill with 2 different surfaces
- Practical installation the possibility to cook more than one product in different varieties at the same time with the portable mini grill and pan
- Easy and quick cleaning with portable bottom mini ashtray
- High heat efficiency and long service life due to its cast iron raw material
- It is painted with matte black paint that is resistant to high temperature and outdoor conditions.

Weight	32 kg
Height	40 cm
Diameter	52 cm













Inspired by Roe Deer's design approach, launches this special edition Woodbridge his ceaseless mission to change how the world cooks outdoors.





 ϵ

- The cast plates designed in interlocking not only provide ease of installation and transportation without tools, but also our pizza oven can function as a barbecue and barbecue by removing the top plate.
- Mini chimney that offers efficient smoke evacuation.
- Convenient access with a wide oven entrance.
- Casting cover and small viewing window located on the cover.
- The combustion chamber floor, reinforced with flame bricks, provides energy efficiency by trapping heat for a long time.
- It is painted with matte black paint that is resistant to high temperature and outdoor conditions.
- Wheel mechanism that can move in many directions and can be locked (4 Pieces).
- Decorative wooden parts on both sides, open/close.
- Large bottom chamber offering wood and material storage facility
- Easy to clean outer surface.

Weight	180 kg
Height	155 cm
Depth	90 cm
Width	90 cm













Our barbecues are designed to make cooking for a crowd super simple. Built with heavy-duty cast iron grills and stainless steel control panels, each barbecue is hardwearing and built to last. With a range of brilliant practical features including thermome. It is very practical to use with the countertop and faucet on it.







- Raw Material: Laser cut thick sheet, Firebrick reinforced chamber, wooden surface and drawers. Stainless sink and tap.
- Cookstove with thermometer
- Wooden counter surface.
- Stainless and easy clean sink set.
- High volume wooden drawers and storage areas with cupboards.
- Exterior surface painted with heat-resistant matte black colour.
- Sides with decorative wooden plates.
- Easy clean steel grill.
- Decorative wooden parts that can be folded on the sides.
- Chimney.
- Heat resistant and easy clean ceramic glass.
- Easy to move with its wheeled mechanism.
- Fireproof silicone and sealing wicks fixed on glass and junctionpoints.
- Heatproof timber handles.

Product Dimensions		
Height	248 cm	
Depth	270 cm	
Width	72 cm	
Removable Chimney	53 cm	
BBQ Dimensions		
Lenght	80 cm	
Width	50 cm	
Three stage adjustable grill height		
Oven Dimensions		
Height	25 cm	
Lenght	60 cm	
Width	43 cm	













With a range of brilliant practical features including thermometers in the lids, warming racks to keep things hot and wheels for extra mobility, these barbecues ensure you have everything you need to create perfect food, every time



 ϵ



- Raw Material: Laser cut thick sheet, Firebrick reinforced chamber and stove oven
- Cookstove with thermometer.
- Exterior surface painted with heat-resistant matte black colour
- Sides with decorative wooden plates.
- Easy clean steel grill.
- Decorative wooden parts that can be folded on the sides.
- Chimney.
- Heat resistant and easy clean ceramic glass.
- Easy to move with its wheeled mechanism.
- Fireproof silicone and sealing wicks fixed on glass and junction points.
- Heatproof timber handles.

Э.	

Product Dimensions

1 TOddet Differsions		
Height	248 cm	
Depth	105 cm	
Width	72 cm	
Removable Chimne	ey 53 cm	
BBQ Dimensions		
Lenght	80 cm	
Width	50 cm	
Three stage adjustable grill height		
Oven Dimensions		
Height	25 cm	
Lenght	60 cm	
Width	43 cm	
·		













This Outdoor Kitchen is one of our first and most complete outdoor barbecue kitchens, provides a backyard entertainment centre and the space to handle all of your outdoor grilling needs. This is the ultimate grilling & entertaining station.



 ϵ





- Exterior surface painted with heat-resistant matte black colour.
- Sides with decorative wooden plates.
- Easy clean steel grill.
- Decorative wooden parts that can be folded on the sides.
- Heat resistant and easy clean ceramic glass.
- Easy to move with its wheeled mechanism
- Fireproof silicone and sealing wicks fixed on glass and junction points.
- Heatproof timber handles.

1 Todace Birrior Island		
Height	245 cm	
Depth	105 cm	
Width	72 cm	
Removable Chimney	53 cm	
BBQ Dimensions		
Lenght	80 cm	
Width	50 cm	
Three stage adjustable grill height		

Product Dimensions

Design and FIRE

Roe Deer Collection is an United Kingdom owned company who exclusively supply some of world's most sought after high-end luxury Fireplaces & Stove.

Intent on providing United Kingdom with a dynamic collection of designer fires, Roe Deer fireplace collection has strategically gathered not only award winning fireplace designs, but also fireplaces that have been manufactured with high quality materials and the best mountaning that is built to last.

Our wood fire manufacturers integrate innovation, Roe Deer, environmental impact, operational expertise and quality, whilst holding design at the forefront. We aim to fill homes with the maximum of comfort while capturing the true art and meaning of a Roe Deer fireplace in any living space.

Like a Good Neighbor, Designed for Best Pleasure.



The instructions in this manual are recommendations only, the manufacturer bears no liability to the interpretation of these instructions. Please ensure to download the latest version of this manual from our website: www.roe-deer.co.uk



ROE DEER

STOVE OVEN BBQ FIRE PLACE



COLLECTION 2023

Units 9 & 10 Honeysome Industrial Estate Honeysome Road Chatteris
Cambridgeshire PE16 6TG

sales@roe-deer.co.uk +01354 693175

www.roe-deer.co.uk